

白頭翁Chinese Bulbul

【內文 Content】

學名 : *Pycnonotus sinensis*

基本資料：台灣特有亞種，體長 18 公分。

外型特徵：顧名思義，頭後有一大塊白斑而得名，耳下有白斑，嘴額及兩頰黑色，背面灰綠，翼較黃綠色，腹白上胸淡褐。

分布範圍：除了花蓮天祥以南到楓港為烏頭翁的地盤外，其他中低海拔幾乎都可以看到牠們。

生態習性：適應力很強，目前族群有越來越多的趨勢。雜食性，如昆蟲、漿果、花芽、種子等都吃。喜群棲，叫聲清澈嘹亮多變化。每年 3~5 月繁殖，每巢 3~4 枚蛋。

Scientific Name: *Pycnonotus sinensis*

Basic Info: An endemic subspecies of Taiwan, with a body length of 18 cm.

Physical Characteristics: As the name suggests, it is named for the large white patch on the back of its head. It has white patches below the ears, while the beak, forehead, and cheeks are black. Its back is grayish-green, its wings are more yellowish-green, and it has a white belly with a light brown upper chest.

Distribution: Aside from the territory of the Styan's Bulbul (from Tianxiang, Hualien, south to Fenggang), this species can be seen almost everywhere at low to middle altitudes.

Ecological Habits: They are highly adaptable, and their population currently shows an increasing trend. They are omnivorous, eating insects, berries, flower buds, and seeds. They enjoy living in groups, and their calls are clear, loud, and varied. Breeding occurs annually from March to May, with 3 to 4 eggs per nest.

白頭翁 Chinese Bulbul



圖片來源：Jeffrey Gammon / Wikimedia Commons / CC BY 4.0

- **學名：**Pycnonotus sinensis
- **基本資料：**台灣特有亞種，體長 18 公分。
- **外型特徵：**顧名思義，頭後有一大塊白斑而得名，耳下有白斑，嘴額及兩頰黑色，背面灰綠，翼較黃綠色，腹白上胸淡褐。
- **分布範圍：**除了花蓮天祥以南到楓港為烏頭翁的地盤外，其他中低海拔幾乎都可以看到牠們。
- **生態習性：**適應力很強，目前族群有越來越多的趨勢。雜食性，如昆蟲、漿果、花芽、種子等都吃。喜群棲，叫聲清澈嘹亮多變化。每年 3~5 月繁殖，每巢 3~4 枚蛋。
- **Scientific Name:** Pycnonotus sinensis
- **Basic Info:** An endemic subspecies of Taiwan, with a body length of 18 cm.
- **Physical Characteristics:** As the name suggests, it is named for the large white patch on the back of its head. It has white patches below the ears, while the beak, forehead, and cheeks are black. Its back is grayish-green, its wings are more yellowish-green, and it has a white belly with a light brown upper chest.
- **Distribution:** Aside from the territory of the Styan's Bulbul (from Tianxiang, Hualien, south to Fenggang), this species can be seen almost everywhere at low to middle altitudes.
- **Ecological Habits:** They are highly adaptable, and their population currently shows an increasing trend. They are omnivorous, eating insects, berries, flower buds, and seeds. They enjoy living in groups, and their calls are clear, loud, and varied. Breeding occurs annually from March to May, with 3 to 4 eggs per nest.